AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

- 1. (Currently Amended) Process for the sterilization and/or germ reduction of two-component impression materials and/or their components, comprising subjecting the impression materials and/or their two components to radiation sterilization.
- 2. (Currently Amended) Process according to Claim 1, wherein the impression materials and/or their components are two component impression materials, which are cross-linked into an elastomer material elastomeric impression materials comprising two components cross-linkable together.
- 3. (Currently Amended) Process according to Claim 2, wherein the impression materials and/or their components further comprise: additional condensation or via aerylate or methacrylate groups cross-linkable silicon impression materials, or addition, condensation, or via ring opening or acrylate or methacrylate groups cross-linkable polyether impression materials
- i) silicone impression materials which are cross-linkable via addition curing or condensation curing reactions or via a cross-linking via acrylate or methacrylate groups; or

2

- ii) polyether impression materials which are cross-linkable via addition curing or condensation curing reactions or via a cross-linking via acrylate or methacrylate groups or via a ring-opening reaction.
- 4. (Currently Amended) Process according to Claim 1, wherein the impression materials and/or their components are impression materials which can be handled as a system having a powder component and a fluid component.
- 5. (Previously Presented) Process according to Claim 4, wherein the impression materials and/or their components comprise an alginate impression material.
- 6. (Currently Amended) Process according to Claim 1, wherein in addition to said impression materials and/or their components, an additional addition cross-linking silicon impression material is used, which contains in the formulation said addition cross-linking silicon impression material comprising vinyl-group-containing polysiloxanes, said vinyl-group-containing polysiloxanes comprising with at least partially present in part diphenyl siloxane-and/or phenyl methyl siloxane structural units.
- 7. (Previously Presented) Process according to Claim 6, wherein polymers are used, which contain at least 3 Mol-% diphenyl siloxane and/or phenyl methyl siloxane units.

3

- 8. (Original) Process according to Claim 1, which further comprises sterilizing the impression material and/or its components in a primary packaging agent.
- 9. (Currently Amended) Process according to Claim 8, wherein the impression material and/or its components are arranged in the primary packaging and are simultaneously <u>radiation</u> treated with accessories for mixing or for application of the impression material.
- 10. (Original) Process according to Claim 8, wherein a twin-chamber cartridge is used as primary packaging and a mixing nozzle as accessory.
- 11. (Original) Process according to Claim 1, wherein the radiation sterilization is performed by means of gamma rays or electron rays.
- 12. (Previously Presented) Process according to Claim 11, wherein a radiation dose of a maximum of 50 kGy is used.
 - 13.-15. (Canceled)
- 16. (Previously Presented) Process according to Claim 7, wherein the polymers used contain at least 10 Mol-% diphenyl siloxane and/or phenyl methyl siloxane units.

USSN 10/600,773 Amendment under 37 CFR § 1.111 filed June 14, 2007 17. (Previously Presented)

Process according to Claim 12, wherein a radiation

dose of 20 to 30 kGy is used.

18. (Previously Presented)

Process according to Claim 1, wherein the

impression materials are crosslinking elastomeric impression materials.